



Modec Decon Apparatus Vehicles

**Selected by MABAS for the State of
Illinois**




- **International 4300 Chassis**
- **Command/Scene Management Area**
- **Automated Patient Lift System**
- **Exterior/Interior Operations**
- **Automated Over/Under Spray System**
- **Proprietary Exterior Modesty Barrier**
- **Gender Separation Throughout**
- **Electronically Controlled Temperature**
- **Over 1 Million BTU's of Capacity**
- **Automated Water Pressure Controller**
- **Multiple Separate Shower Positions**



Modec's Vehicle Mounted Decon Apparatus

Modec Decontamination Apparatus - Vehicle Mount



OPTIONS AND NOTES

7.5 KW OMAN DIESEL GENERATOR SET WITH GENERATOR BOX, TRANSFER SWITCH AND REMOTE
 102" X 78" ALL ALUMINUM THRESHOLD LIFTGATE FOR PROCESSING AMBULATORY PATIENTS WITH 2 EXTERIOR REMOTE OUTLETS AND 1 INTERIOR MONETARY SWITCH
 GRAB HANDLE OPENING FROM THE CAB TO THE COMMAND AREA AND COVERED WITH A PADDED WINDL BOOT
 COMMAND AREA TO HAVE ONE COMPUTER/COM STATION AND ONE AREA DESK/INFO AREA AND 2 SMALL SLIDING WINDOWS
 2' X 40" EXTERIOR LOOKING ALL ALUMINUM STORAGE BINS BUILT INTO BODY SKIRTING WITH SLIDE OUT TRAYS
 INSTALL 1 FRIEDRICH MINI-SPLIT DUCTLESS HEATING AND COOLING UNIT (PREP AND PAINT LOWER BODY SKIRTING AND LIFTGATE RED (TO MATCH BODY AND CHASSIS)
 INSTALL 3 EXTERIOR STROBES ON EACH SIDE OF BODY, 5 SCENE LIGHTS ON EACH SIDE OF BODY AND 2 SCENE LIGHTS AT REAR
 INSTALL ONE INTERCOM SYSTEM IN COMMAND AREA WITH SPEAKERS IN THE DECON AREA AND REAR EXTERIOR AREA WITH PUBLIC ADDRESS SYSTEM
 ONE SCENE MONITORING SYSTEM WITH EXTERIOR OBSERVATION CAMERAS TO REVIEW BOTH SIDES AND REAR AND FOUR CAMERAS MOUNTED INSIDE
 INSTALL ONE SLIPER VAC SCENE LIGHT SET ON THE ROOF AT THE REAR (# S.536 FROM COMMAND LIGHT)
 VAPORPROOF INTERIOR LIGHTING
 INTERNAL REAR EXTERIOR SPEAKER FOR FIRST STAGE PROCESSING
 INTERIOR AND EXTERIOR DECON AREAS WITH MOCDE AINING SYSTEM ON EXTERIOR
 SEAMLESS THREE-PART CHEMICAL RESISTANT FLOORING

26' INSULATED ALFRED BODY, 1 3/4" Z-BAR POSTS, .040" ALUMINUM EXTERIOR, .090" KENLITE INTERIOR
 1,200,000 BTU ALKOTA DIESEL HEATERS, THERMOSTATICALLY CONTROLLED
 25,000 BTU HEATING AND COOLING CAPACITY HVAC SYSTEM
 GENDER SEPARATED PROCESSING ZONES
 VARIABLE SPEED CONSTANT PRESSURE REGULATED ADJUSTABLE SYSTEM
 COMMAND/COMMUNICATIONS/SCENE MANAGEMENT SECTION ACCESSIBLE FROM CAB/SEPARATE FROM DECON AREA
 PORTABLE ROLLER SYSTEM WITH OVER/UNDER DECONTAMINATION SPRAY SYSTEM
 COMMAND AREA TO HAVE 2 DESKS, MAPLE CABINETS ABOVE FOR MONITORING, INTERCOM SYSTEMS AND 2 OFFICE CHAIRS

MUTUAL AID BOX ALARM SYSTEM

DATE 5/5/06	DELIVERY DATE	DRAWN BY:DAVE A
TRUCK # 05-000	ILLINOIS	
VIN #	2005 IHC 4300 DT- 466 WITH A 26' ALFRED BODY	
	MODEC Inc. 4725 OWLAND ST. DENVER COLORADO 80239 1-800-967-7927	